

JC872 U.S. PTO

09-01-00

A

UTILITY PATENT APPLICATION TRANSMITTAL

Submit an original and a duplicate for fee processing
(Only for new nonprovisional applications under 37 CFR 1.53(b))

ADDRESS TO:

Assistant Commissioner for Patents
Box Patent Application
Washington, D.C. 20231

Attorney Docket No. MBHB00-025

First Named Inventor Choong et al.

Express Mail No. EL028731742US

Total Pages 41

1:84 U.S. PTO

09/652284



08/31/00

APPLICATION ELEMENTS

1. ☒ Transmittal Form with Fee
2. ☒ Specification (including claims and abstract) [Total Pages 31]
3. ☒ Drawings [Total Sheets 4]
4. ☒ Oath or Declaration [Total Pages 3]
 - a. ☒ Newly executed
 - b. ☐ Copy from prior application

[Note Boxes 5 and 17 below]

 - i. ☐ Deletion of Inventor(s) Signed statement attached deleting inventor(s) named in the prior application
5. ☐ Incorporation by Reference: The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.
6. ☐ Microfiche Computer Program
7. ☐ Nucleotide and/or Amino Acid Sequence Submission
 - a. ☐ Computer Readable Copy
 - b. ☐ Paper Copy
 - c. ☐ Statement verifying above copies

ACCOMPANYING APPLICATION PARTS

8. ☐ Assignment Papers
9. ☒ Power of Attorney
10. ☐ English Translation Document (if applicable)
11. ☐ Information Disclosure Statement (IDS)
 - ☐ PTO-1449 Form
 - ☐ Copies of IDS Citations
12. ☐ Preliminary Amendment
13. ☒ Return Receipt Postcard (Should be specifically itemized)
14. ☐ Small Entity Statement(s)
 - ☐ Enclosed
 - ☐ Statement filed in prior application; status still proper and desired
15. ☐ Certified Copy of Priority Document(s)
16. ☐ Other:

17. ☐ This is a CONTINUING APPLICATION. Please note the following:

- a. ☐ This is a ☐ Continuation ☐ Divisional ☐ Continuation-in-part of prior application
- b. ☐ Cancel in this application original claims ____ of the prior application before calculating the filing fee.
- c. ☐ Amend the specification by inserting before the first line the sentence:
This is a ☐ continuation ☐ divisional ☐ continuation-in-part of application Serial No.
- d. ☐ The prior application is assigned of record to

UTILITY PATENT APPLICATION TRANSMITTAL

Attorney Docket No. MBHB00-25

APPLICATION FEES

BASIC FEE				\$ 690.00
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE	
Total Claims	132 -20=	112	x \$18.00	\$ 2016.00
Independent Claims	4 - 3=	1	x \$78.00	\$ 78.00
<input checked="" type="checkbox"/> Multiple Dependent Claims(s) if applicable			+\$270.00	\$ 270.00
Total of above calculations =				\$ 3054.00.00
Reduction by 50% for filing by small entity =				\$
<input type="checkbox"/> Assignment fee if applicable			+ \$40.00	\$ 00
TOTAL =				\$ 3054.00

18. ☐ Please charge my Deposit Account No. 13-2490 in the amount of \$19. ☒ A check in the amount of \$3054.00 is enclosed.

20. The Commissioner is hereby authorized to credit overpayments or charge any additional fees of the following types to Deposit Account No. 13-2490:

- a. ☒ Fees required under 37 CFR 1.16.
- b. ☒ Fees required under 37 CFR 1.17.
- c. ☐ Fees required under 37 CFR 1.18.

21. ☒ The Commissioner is hereby generally authorized under 37 CFR 1.136(a)(3) to treat any future reply in this or any related application filed pursuant to 37 CFR 1.53 requiring an extension of time as incorporating a request therefor, and the Commissioner is hereby specifically authorized to charge Deposit Account No. 13-2490 for any fee that may be due in connection with such a request for an extension of time.

22. CERTIFICATE OF MAILING

I hereby certify that I directed that the correspondence identified above be deposited with the United States Postal Service as "Express Mail Post Office to Addressee" under 37 CFR § 1.10 on the date indicated below and is addressed to the Asst. Commissioner for Patents, Box Patent Application, Washington, DC 20231.

23. USPTO CUSTOMER NUMBER

PATENT & TRADEMARK OFFICE



020306

24. CORRESPONDENCE ADDRESS

Name	McDonnell Boehnen Hulbert & Berghoff
Address	300 South Wacker Drive
City, State, Zip	Chicago, IL 60606

25. SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT REQUIRED

Name	Kevin E. Noonan, Reg. No.35,303
Reg. No.	
Signature	
Date	August 31, 2000

1:041 U.S. PTO
09/652284
08/31/00

**APPLICATION FOR UNITED STATES LETTERS PATENT
IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**
(Case No. 00,025)

Inventors:

Vi-En Choong
3380 West Genoa Way
Chandler, Arizona 85226

Citizen of Malaysia

George Maracas
2613 East Bighorn Avenue
Phoenix, Arizona 85048

Citizen of the United States of America

Larry Akio Nagahara
1350 West Deer Creek Road
Phoenix, Arizona 85045

Citizen of the United States of America

Song Shi
4521 East Gold Poppy Way
Phoenix, Arizona 85044

Citizen of the People's Republic of China

Assignee:

Motorola, Inc.

A Corporation of the State of Delaware

Title:

Addressable Array for High Density Electrical and
Electrochemical Detection of Biomolecules

ADDRESSABLE ARRAY FOR HIGH DENSITY ELECTRICAL AND ELECTROCHEMICAL DETECTION OF BIOMOLECULES

BACKGROUND OF THE INVENTION

5

1. Field of the Invention

10

This invention relates to the detection of molecular interactions between biological molecules. Specifically, the invention relates to the electrical or electrochemical detection of molecular interactions on biochip arrays. More specifically, the invention relates to an apparatus for the electrical or electrochemical detection of molecular interactions comprising a column- and-row addressable biochip array and methods of use thereof. The apparatus and methods of the invention can be used to detect molecular interactions such as nucleic acid hybridization or peptide binding.

15

2. Background of the Invention

20

A number of commonly-utilized biological applications, including for example, diagnoses of genetic disease, analyses of sequence polymorphisms, analyses of gene expression, and studies of receptor-ligand interactions, rely on the ability of analytical technologies to readily detect events related to the interaction between biological molecules (herein after, "biomolecules"). These detection technologies have traditionally utilized fluorescent compounds or radioactive isotopes to monitor such interactions. For example, Potyrailo *et al.*, 1998, *Anal. Chem.* 70: 3419-25, describe an apparatus and method for detecting interactions between immobilized fluorescently-labeled aptamers and peptides. There are, however, significant disadvantages associated with the use of radioactive or fluorescent labels to track interactions between biomolecules, including heightened health risks and increased experimental cost and complexity.

25

30

Methods for electrical or electrochemical detection of molecular interactions between biomolecules have provided an attractive alternative to detection techniques relying on radioactive or fluorescent labels. Electrical and electrochemical detection techniques are based on the detection of alterations in the electrical properties of an electrode arising from interactions between one group of molecules attached to the surface of an electrode (often referred to as

“probe” molecules) and another set of molecules present in a reaction mixture (often referred to as “target” molecules) contacted with the electrode. Methods and devices related to electrical or electrochemical detection of biomolecules are disclosed in U.S. Patent Nos. 4,072,576, 4,098,645, 4,414,323, 4,840,893, 5,164,319, 5,187,096, 5,194,133, 5,312,527, 5,532,128, 5,591,578, 5,653,939, 5,670,322, 5,705,348, 5,770,369, 5,780,234, 5,824,473, 5,891,630, 6,017,696 and International Application, Pub. No. WO 97/01646.

Electrical or electrochemical detection eliminates many of the disadvantages inherent in use of radioactive or fluorescent labels to detect interactions between the probe and target molecules. This process offers, for example, a detection technique that is safe, inexpensive, and sensitive, and is not burdened with complex and onerous regulatory requirements.

The development of microfabricated arrays (microarrays) of biomolecules has led to further improvements on traditional analytical techniques for the detection of molecular interactions between biomolecules. Microarrays of biomolecules (*e.g.*, oligonucleotides, nucleic acids, proteins, peptides, or antibodies) have utility in a wide variety of applications in which molecular interactions between target molecules in a reaction mixture and large numbers of distinct probe molecules bound to defined regions of a substrate can be simultaneously assayed using electrical, optical, or radioactive detection strategies. Microarrays, therefore, satisfy the demand for inexpensive, high-throughput detection of biomolecular interactions.

Although biochip arrays for the electrochemical detection of molecular interactions between biomolecules have been proposed in the prior art, these devices have significant disadvantages. For example, the device disclosed by Egger *et al.* in U.S. Patent Nos. 5,670,322 and 5,532,128 cannot be made column-and-row (or “x-y”) addressable, thus limiting the density of the test sites in the array and the usefulness of the apparatus. In U.S. Patent No. 5,653,939, Hollis *et al.* disclose an x-y addressable array wherein a solid supporting substrate comprises a plurality of test sites in electrochemical contact with a set of orthogonally oriented electrodes. However, Hollis *et al.* does not provide an apparatus for efficient electrochemical detection of molecular interactions on porous, polymeric pads. Furthermore, Hollis *et al.* does not provide an apparatus having interdigitated electrodes.

Thus, there remains a need in the art to develop more efficient devices and methods for the detection of molecular interactions between biomolecules. In particular, there remains a need in the art for more efficient devices and methods for the electrical or electrochemical detection of

molecular interactions. More particularly, there remains a need in the art to develop column-and-row addressable biochip arrays for the electrical or electrochemical detection of molecular interactions that can be easily and cost-effectively fabricated, and that reduce the cost of performing various analyses, while increasing the effectiveness and utility thereof. The development of such devices, and methods for their use, would have wide application in the medical, genetic, and molecular biological arts.

SUMMARY OF THE INVENTION

The present invention provides an apparatus and methods for the electrical or electrochemical detection of molecular interactions between biological molecules. Specifically, the invention provides an apparatus for the electrical or electrochemical detection of molecular interactions between biological molecules that comprises a column-and-row addressable biochip array. The apparatus and methods of the invention can be used to detect molecular interactions such as nucleic acid hybridization or peptide binding.

One apparatus of the present invention comprises a supporting substrate comprising an array of test sites; a plurality of porous, polymeric pads in contact with the supporting substrate at the test sites; a set of input electrodes in contact with the plurality of porous, polymeric pads at the test sites, wherein each input electrode is arranged to address a subset of the test sites; a set of output electrodes in contact with the plurality of porous, polymeric pads at the test sites, wherein each output electrode is arranged to address a subset of the test sites, and wherein each output electrode is in electrochemical contact with an input electrode; a plurality of linker moieties in contact with the porous, polymeric pads at the test sites; a plurality of probe molecules immobilized to the linker moieties, wherein said probe molecules specifically bind to or interact with target molecules; a means for producing an electrical signal at each input electrode; a means for detecting changes in the electrical signal at each output electrode; and an electrolyte solution in contact with the porous polymeric pads, input electrodes, output electrodes, linker moieties, and probe molecules.

Another apparatus of the present invention comprises a supporting substrate comprising an array of test sites; a plurality of porous, polymeric pads in contact with the supporting

substrate at the test sites; a set of input electrodes in contact with the plurality of porous, polymeric pads at the test sites, wherein each input electrode is arranged to address a subset of the test sites; a set of output electrodes in contact with the plurality of porous, polymeric pads at the test sites, wherein each output electrode is arranged to address a subset of the test sites, and wherein each output electrode is in electrochemical contact with an input electrode; a plurality of linker moieties in contact with the porous, polymeric pads at the test sites; a plurality of probe molecules immobilized to the linker moieties, wherein said probe molecules specifically bind to or interact with target molecules; at least one reference electrode in electrochemical contact with the input and output electrodes; a means for producing an electrical signal at each input electrode; a means for detecting changes in the electrical signal at each output electrode; and an electrolyte solution in contact with the porous polymeric pads, input electrodes, output electrodes, linker moieties, and probe molecules.

Still another apparatus of the present invention comprises a supporting substrate comprising an array of test sites; a set of input electrodes in contact with the supporting substrate, wherein each input electrode is arranged to address a subset of the test sites; a set of output electrodes in contact with the supporting substrate at the test sites, wherein each output electrode is arranged to address a subset of the test sites, each output electrode is in electrochemical contact with an input electrode, and the output electrodes and input electrodes are interdigitated at the test site; a plurality of linker moieties in contact with either the input electrodes, the output electrodes, or both the input electrodes and output electrodes at the test sites; a plurality of probe molecules immobilized to the linker moieties, wherein said probe molecules specifically bind to or interact with target molecules; a means for producing an electrical signal at each input electrode; a means for detecting changes in the electrical signal at each output electrode; and an electrolyte solution in contact with the input electrodes, output electrodes, linker moieties, and probe molecules.

Still another apparatus of the present invention comprises a supporting substrate comprising an array of test sites; a set of input electrodes in contact with the supporting substrate, wherein each input electrode is arranged to address a subset of the test sites; a set of output electrodes in contact with the supporting substrate at the test sites, wherein each output electrode is arranged to address a subset of the test sites, each output electrode is in electrochemical contact with an input electrode, and the output electrodes and input electrodes

are interdigitated at the test site; a plurality of linker moieties in contact with either the input electrodes, the output electrodes, or both the input electrodes and output electrodes at the test sites; a plurality of probe molecules immobilized to the linker moieties, wherein said probe molecules specifically bind to or interact with target molecules; at least one reference electrode in electrochemical contact with the input and output electrodes; a means for producing an electrical signal at each input electrode; a means for detecting changes in the electrical signal at each output electrode; and an electrolyte solution in contact with the input electrodes, output electrodes, linker moieties, reference electrode, and probe molecules.

The apparatus of the present invention may further comprise a plurality of wells wherein each well encompasses a porous, polymeric pad, wherein a plurality of probe molecules is immobilized to linker moieties that are in contact with the porous, polymeric pad; an input electrode, and an output electrode. Preferably, the probe molecules in any particular well are identical to each other, while each well comprises probe molecules unique to that well.

The present invention provides methods employing the apparatus that are useful for electrical or electrochemical detection of molecular interactions between probe molecules immobilized to linker moieties in contact with porous, polymeric pads and target molecules in a sample solution. In one method of the present invention, a first electrical signal is applied at an input electrode in contact with a first set of porous, polymeric pads, wherein the first set of porous, polymeric pads comprises the porous, polymeric pad at the specific test site; and the first electrical signal is then detected at an output electrode in contact with a second set of porous, polymeric pads, wherein the second set of porous, polymeric pads comprises the porous, polymeric pad at the specific test site. Thereafter, the first and second sets of porous, polymeric pads are exposed to a sample mixture containing a particular target molecule; a second electrical signal is applied at an input electrode in contact with the first set of porous, polymeric pads; and the second electrical signal is detected at an output electrode in contact with the second set of porous, polymeric pads. The first and second electrical signals are compared, and molecular interactions between immobilized probe molecules and target molecules in the sample mixture are detected by determining that the first electrical signal is different from the second electrical signal.

In some embodiments of the methods of the present invention, target molecules in a sample mixture are labeled with an electrochemically-active reporter molecule prior to exposing the first and second sets of porous, polymeric pads to the sample mixture.

The x-y addressable bioarrays of the present invention can be employed for both electrical and electrochemical detection, thus permitting a wider number of analyses to be performed on these devices. The x-y addressing scheme simplifies and reduces the number of electrode interconnections required, thus permitting the bioarrays of the present invention to be more cost-effectively fabricated. The three-dimensional design of the input and output electrodes increases the surface area of the electrodes, thereby increasing the efficiency by which the devices can be used to electrically and electrochemically detect molecular interactions between biomolecules. Furthermore, in those devices of the invention in which the input and output electrodes are interdigitated, such interdigitation allows one with skill in the art to fabricate a more efficient device for a particular electrical or electrochemical detection scheme by altering the distance between the input and output electrodes.

Specific preferred embodiments of the present invention will become evident from the following more detailed description of certain preferred embodiments and the claims.

DESCRIPTION OF THE DRAWINGS

Figure 1 illustrates a schematic representation of a top view of one embodiment of the x-y addressable biochip array of the present invention.

Figures 2A and 2B illustrate schematic representations of two cross-section views of one embodiment of the x-y addressable biochip array of the present invention.

Figure 3 illustrates a schematic representation of a top view of one embodiment of the x-y addressable biochip array of the present invention.

Figures 4A and 4B illustrate schematic representations of two cross-section views of one embodiment of the x-y addressable biochip array of the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

5 The apparatus and methods of the present invention are useful for the electrical or electrochemical detection of molecular interactions between target molecules in a sample mixture and probe molecules immobilized on a biochip array. Specifically, the invention provides an apparatus for the electrical or electrochemical detection of molecular interactions between biological molecules that comprises a column-and-row addressable biochip array.

10 As used herein, the term “array” refers to an ordered spatial arrangement, particularly an arrangement of immobilized biomolecules at a plurality of test sites.

As used herein, the term “addressable array” refers to an array wherein the individual test sites have precisely defined x- and y-coordinates, so that a given test site at a particular position in the array can be identified.

15 As used herein, the terms “probe” and “biomolecular probe” refer to a biomolecule used to detect a complementary biomolecule (referred to herein as a target molecule). Examples include antigens that detect antibodies, oligonucleotides that detect complimentary oligonucleotides, and ligands that detect receptors. Preferred probe molecules include nucleic acids, oligonucleotides, peptides, ligands, antibodies, and antigens; oligonucleotides are the most preferred probe species.

20 As used herein, the terms “microarray,” “biochip” and “biochip array” refer to an ordered spatial arrangement of immobilized biomolecular probes arrayed at test sites on a solid supporting substrate. Biochips, as used in the art, encompass substrates containing arrays or microarrays, preferably ordered arrays and most preferably ordered, addressable arrays, of biomolecules that comprise one member of a biological binding pair. Typically, such arrays are oligonucleotide arrays comprising a nucleotide sequence that is complementary to at least one sequence that may be or is expected to be present in a biological sample. Alternatively, proteins, peptides or other small molecules can be arrayed in such biochips for performing, *inter alia*, immunological analyses (wherein the arrayed molecules are antigens) or assaying biological receptors (wherein the arrayed molecules are ligands, agonists or antagonists of said receptors).

25 30 As used herein, the term “test site” refers to a predefined region on a substrate to which a subgroup of the array’s probe molecules are immobilized via linker moieties that are in contact

with a porous, polymeric pad or an input and/or output electrode. The test site may have any convenient shape, *e.g.*, circular, rectangular, elliptical, or wedge-shaped. In preferred embodiments of the apparatus of the present invention, the test sites have an area of about 1 cm². In more preferred embodiments, the test sites have an area of less than 1 mm², less than 0.5 mm², less than about 10,000 μm², or less than 100 μm². Probe molecules may be immobilized by first placing the linker moieties in contact with a porous, polymeric pad or an input and/or output electrode and then attaching the probe molecules to the porous, polymeric pad or input and/or output electrode. Alternatively, probe molecules may be immobilized by first mixing the probe molecules with the linker moieties and then placing the probe/linker moiety mixture in contact with a porous, polymeric pad or an input and/or output electrode. Alternatively, probe molecules may be immobilized by first mixing the probe molecules with the linker moieties and porous, polymeric pads constituents and then polymerizing this mixture on the support substrate.

As used herein, the term “input electrode” refers to an electrode that can be used to apply an electrical signal to a particular test site. In some embodiments, the electrical signal is applied to the input electrode using a multiplexer. As used herein, the term “multiplexer” refers to a device that allows electrical signals to be selectively applied to two or more input electrodes.

As used herein, the term “output electrode” refers to an electrode that can be used to detect an electrical signal at a particular test site. In some embodiments, the electrical signal is detected using a demultiplexer. As used herein, the term “demultiplexer” refers to a device that allows electrical signals from two or more output electrodes to be selectively detected at an electrical signal detection device.

As used herein, the term “reference electrode” refers to an electrode that can be used in assays where an estimate or determination of the number or concentration of target molecules in a sample solution is desired.

Device embodiments of the invention are useful for either electrical or electrochemical detection of interactions between biomolecules. As used herein, the term “electrochemical detection” is intended to encompass methods based on oxidation/reduction (redox) processes induced by electron transfer between electrodes, most preferably mediated by an electrochemical reporter group attached to the probe moiety, the target moiety, or both. As used herein, the term “electrical detection” is intended to encompass methods that rely on impedance changes (such as

resistance, capacitance and inductance) due to differences in electrical state occupancy in the biomolecules in the bound and unbound conformations.

In one embodiment, the apparatus of the present invention comprises a supporting substrate comprising an array of test sites; a plurality of porous, polymeric pads in contact with the supporting substrate at the test sites; a set of input electrodes in contact with the plurality of porous, polymeric pads at the test sites, wherein each input electrode is arranged to address a subset of the test sites; a set of output electrodes in contact with the plurality of porous, polymeric pads at the test sites, wherein each output electrode is arranged to address a subset of the test sites, and wherein each output electrode is in electrochemical contact with an input electrode; a plurality of linker moieties in contact with the porous, polymeric pads at the test sites; a plurality of probe molecules immobilized to the linker moieties, wherein said probe molecules specifically bind to or interact with target molecules; a means for producing an electrical signal at each input electrode; a means for detecting changes in the electrical signal at each output electrode; and an electrolyte solution in contact with the porous polymeric pads, input electrodes, output electrodes, linker moieties, and probe molecules.

In another embodiment, the apparatus of the present invention comprises a supporting substrate comprising an array of test sites; a plurality of porous, polymeric pads in contact with the supporting substrate at the test sites; a set of input electrodes in contact with the plurality of porous, polymeric pads at the test sites, wherein each input electrode is arranged to address a subset of the test sites; a set of output electrodes in contact with the plurality of porous, polymeric pads at the test sites, wherein each output electrode is arranged to address a subset of the test sites, and wherein each output electrode is in electrochemical contact with an input electrode; a plurality of linker moieties in contact with the porous, polymeric pads at the test sites; a plurality of probe molecules immobilized to the linker moieties, wherein said probe molecules specifically bind to or interact with target molecules; at least one reference electrode in electrochemical contact with the input and output electrodes; a means for producing an electrical signal at each input electrode; a means for detecting changes in the electrical signal at each output electrode; and an electrolyte solution in contact with the porous polymeric pads, input electrodes, output electrodes, linker moieties, and probe molecules.

In still another embodiment, the apparatus of the present invention comprises a supporting substrate comprising an array of test sites; a set of input electrodes in contact with the

supporting substrate, wherein each input electrode is arranged to address a subset of the test sites; a set of output electrodes in contact with the supporting substrate at the test sites, wherein each output electrode is arranged to address a subset of the test sites, each output electrode is in electrochemical contact with an input electrode, and the output electrodes and input electrodes are interdigitated at the test site; a plurality of linker moieties in contact with either the input electrodes, the output electrodes, or both the input electrodes and output electrodes at the test sites; a plurality of probe molecules immobilized to the linker moieties, wherein said probe molecules specifically bind to or interact with target molecules; a means for producing an electrical signal at each input electrode; a means for detecting changes in the electrical signal at each output electrode; and an electrolyte solution in contact with the input electrodes, output electrodes, linker moieties, and probe molecules.

In still another embodiment, the apparatus of the present invention comprises a supporting substrate comprising an array of test sites; a set of input electrodes in contact with the supporting substrate, wherein each input electrode is arranged to address a subset of the test sites; a set of output electrodes in contact with the supporting substrate at the test sites, wherein each output electrode is arranged to address a subset of the test sites, each output electrode is in electrochemical contact with an input electrode, and the output electrodes and input electrodes are interdigitated at the test site; a plurality of linker moieties in contact with either the input electrodes, the output electrodes, or both the input electrodes and output electrodes at the test sites; a plurality of probe molecules immobilized to the linker moieties, wherein said probe molecules specifically bind to or interact with target molecules; at least one reference electrode in electrochemical contact with the input and output electrodes; a means for producing an electrical signal at each input electrode; a means for detecting changes in the electrical signal at each output electrode; and an electrolyte solution in contact with the input electrodes, output electrodes, linker moieties, reference electrode, and probe molecules.

The preferred embodiments of the present invention and its advantages over previously investigated electronic or electrochemical detection devices are best understood by referring to Figures 1-4. Like numerals have been used in the drawings for like and corresponding parts.

Figure 1 illustrates a schematic representation of a top view of one embodiment of the x-y addressable microarray of the present invention. The microarray comprises a supporting substrate 1 comprising a plurality of porous, polymeric pads 2, the porous, polymeric pads

defining an array of test sites. A set of input electrodes 3 is fabricated within or on top of the supporting substrate 1, the set of input electrodes 3 being arranged so that each input electrode 3 addresses a subset of test sites. A set of output electrodes 4 is fabricated within or on top of the supporting substrate 1, the set of output electrodes 4 being arranged so that each output electrode 4 addresses a subset of test sites. In this embodiment, the input electrodes 3 and the output electrodes 4 are embedded within the porous, polymeric pads 2 and the input electrodes 3 and the output electrodes 4 are arranged so that they interdigitate (*see* Figure 1 for one embodiment of electrodes which are interdigitated; other embodiments will be clear to one with skill in the art). Figures 2A and 2B illustrate schematic representations of two cross-section views of one embodiment of the x-y addressable microarray of the present invention. The microarray illustrated in Figures 1 and 2 can be used for the electrical detection of molecular interactions between biomolecules.

Figure 3 illustrates a schematic representation of a top view of another embodiment of the x-y addressable microarray of the present invention. The microarray comprises a supporting substrate 1 comprising a plurality of porous, polymeric pads 2, the porous, polymeric pads defining an array of test sites. A set of input electrodes 3 is fabricated within or on top of the supporting substrate 1, the set of input electrodes 3 being arranged so that each input electrode 3 addresses a subset of test sites. A set of output electrodes 4 is fabricated within or on top of the supporting substrate 1, the set of output electrodes 4 being arranged so that each output electrode 4 addresses a subset of test sites. In this embodiment, the input electrodes 3 and the output electrodes 4 are embedded within the porous, polymeric pads 2 and the input electrodes 3 and the output electrodes 4 are arranged so that they interdigitate (*see* Figure 3). A reference electrode 5 is separated from the input electrodes 3 and output electrodes 4 by either a portion of the supporting substrate 1 (or optionally by an additional insulating layer). Electrochemical contact between the reference electrode 5 and the input electrodes 3 and output electrodes 4 is established through a via 6 fabricated at each test site. Figures 4A and 4B illustrate schematic representations of two cross-section views of one embodiment of the x-y addressable microarray of the present invention. The microarray illustrated in Figures 3 and 4 can be used for the electrical or electrochemical detection of molecular interactions between biomolecules.

By embedding the input and output electrodes in the porous, polymeric pads (as shown in Figures 1 and 3), the surface area of the input and output electrodes in contact with the porous,

polymeric pad can be increased. Similarly, in embodiments in which the input and output electrodes protrude into the test site to contact the sample solution, the surface area of the input and output electrodes in contact with the sample solution is increased. This is advantageous in embodiments in which probe molecules are immobilized via linker moieties to the surface of the input and/or output electrodes. Furthermore, the surface area of the input and output electrodes can be increased by embedding a plurality of projections from a single input and/or output electrode into each porous, polymeric pad (or similarly in some embodiments, into the sample solution at each test site).

The plurality of projections from the input and output electrodes can also be interdigitated (as shown in Figures 1 and 3). By varying the spacing and width of the interdigitated electrodes, the bioarrays of the present invention can be tuned to the specific detection scheme to be employed. For example, for electrical detection schemes (*e.g.*, capacitance), small spacings between the input and output electrodes are desired. Preferably, the spacing between input and output electrodes is less than about 1 micron for the electrical detection devices of the present invention.

The supporting substrate of the apparatus of the invention is advantageously made from any solid material, including but not limited to glass, silicon, silicon nitride, plastic, rubber, fabric, ceramics, printed circuit board, compound semiconductors (*e.g.*, GaAs), or combinations thereof. In preferred embodiments, the supporting substrate of the apparatus of the present invention is composed of silicon or glass. The input, output, and/or reference electrodes of the apparatus of the present invention may be either embedded within or placed in contact with the supporting substrate. The supporting substrate has a surface area between about $0.01 \mu\text{m}^2$ and about 5 cm^2 containing from 1 to about 10^8 test sites. In a preferred embodiment, the supporting substrate has a surface area of about $10,000 \mu\text{m}^2$ and contains about 10^4 test sites. In preferred embodiments, the test sites are arranged on the supporting substrate so that they are separated by a distance of from about $0.05 \mu\text{m}$ to 0.5 mm . In more preferred embodiments, the test sites are regularly spaced on the solid supporting substrate with a uniform spacing there between. Preferably, the probe molecules at any particular test site are identical to each other, while each test site comprises probe molecules unique to that test site.

The porous, polymeric pads of the apparatus of the invention are composed of materials including, but not limited to, polyacrylamide gel, agarose gel, polyethylene glycol, cellulose gel,

sol gel, polypyrrole, carbon, carbides, oxides, nitrides, or other porous, polymeric materials known to those with skill in the art. In a preferred embodiment, the porous, polymeric pads comprise polyacrylamide gel.

The input electrodes of the apparatus of the invention comprise conductor substances such as solid or porous foils or films of gold, platinum, silver, copper, titanium, chromium, or aluminum, or metal oxides, metal nitrides, metal carbides, carbon, graphite, conductive plastic (such as polythiophenes, polyanilines, or polypyrroles), metal impregnated polymers, or combinations thereof. In additional embodiments, the input electrodes further comprise substrate and/or insulator substances such as glass, silicon, plastic, rubber, fabric, ceramics, printed circuit board, or combinations thereof.

The output electrodes of the apparatus of the invention comprise conductor substances such as solid or porous foils or films of gold, platinum, silver, copper, titanium, chromium, or aluminum, or metal oxides, metal nitrides, metal carbides, carbon, graphite, conductive plastic (such as polythiophenes, polyanilines, or polypyrroles), metal impregnated polymers, or combinations thereof. In additional embodiments, the output electrodes further comprise substrate and/or insulator substances such as glass, silicon, plastic, rubber, fabric, ceramics, printed circuit board, or combinations thereof.

In some embodiments of the present invention, the linker moieties comprise a conjugated polymer or copolymer film. Such conjugated polymer or copolymer film is composed of materials including, but not limited to, polypyrrole, polythiophene, polyaniline, polyfuran, polypyridine, polycarbazole, polyphenylene, poly(phenylvinylene), polyfluorene, or polyindole, or their derivatives, copolymers, or combinations thereof. In another preferred embodiment, the linker moieties comprise a neutral pyrrole matrix. In still other embodiments, the linker moieties comprise thiol linkers. In still other embodiments, the linker moieties further comprise streptavidin (and the probe molecules are biotinylated).

The biological molecules of the invention (both probe molecules and target molecules) carry an electrical charge in aqueous solution under appropriate conditions of hydrogen ion concentration and dissolved salts; said conditions are generally determined in part by the composition of the biological sample and the electrolyte solution. Preferably, the probe molecules at any particular test site are identical to each other (*e.g.*, in oligonucleotide embodiments of the apparatus of the present invention, oligonucleotide probe molecules at a test

site all share the same nucleotide sequence), while each test site comprises probe molecules unique to that test site (e.g., in oligonucleotide embodiments of the apparatus of the present invention, the nucleotide sequence of the oligonucleotide probe molecule immobilized at one test site differ from the sequence of the oligonucleotide probe molecules at another test site). In alternative embodiments, the probe molecules at any particular test site are not identical to each other (e.g., in oligonucleotide embodiments of the apparatus of the present invention, oligonucleotide probe molecules at a test site have one of at least two different nucleotide sequences).

In one embodiment of the present invention, the probe molecules are nucleic acids, oligonucleotides, or combinations thereof. Oligonucleotide probe molecules preferably comprise from about 10 to about 100, more preferably from about 10 to about 50, and most preferably from about 15 to about 30, nucleotide residues. Nucleic acid probe molecules comprise from about 10 to about 5000 basepairs, more preferably from about 100 to about 1000 basepairs, and most preferably from about 200 to about 500 basepairs. In a particular embodiment of the present invention, the probe molecules are aptamers (i.e., oligonucleotides capable of interacting with target molecules such as peptides). Oligonucleotide or nucleic acid probe molecules can be immobilized to linker moieties (or immobilized on porous, polymeric pads via linker moieties) using techniques known to those with skill in the art, wherein said immobilization does not interfere with or inhibit the ability of the probe molecules to interact with nucleic acid target molecules in the sample mixture.

In another embodiment of the present invention, the probe molecules of the apparatus comprise proteins or peptides. The protein or peptide probe molecules of the present invention are preferably peptides comprising from about 5 to about 100 amino acids, or preferably antigen-recognizing peptides or polypeptides belonging to the immunoglobulin superfamily. Said peptide or polypeptide probe molecules are immobilized to linker moieties (or immobilized on porous, polymeric pads via linker moieties) using techniques known to those with skill in the art, wherein said immobilization does not interfere with or inhibit the ability of the probe molecules to interact with target molecules in the sample mixture. In one preferred embodiment, the probes are antibodies. The antibodies immobilized to the linker moieties of the apparatus of the invention may be polyclonal or monoclonal antibodies, or F(ab) fragments, F(ab)' fragments,

F(ab)₂ fragments, or F_v fragments of polyclonal or monoclonal antibodies, or F(ab) or single chain antibodies selected from *in vitro* libraries.

In still other embodiments of the present invention, the probe molecules comprise a natural products library, a phage display library, or a combinatorial library known to those with skill in the art.

The apparatus of the present invention comprises at least one reference electrode. In the preferred embodiment of the present invention the reference electrode comprises a gold or platinum conductor. In another embodiment, the reference electrode comprises silver/silver chloride. In alternative embodiments, the reference electrode comprises conductor substances such as solid or porous foils or films of silver, copper, titanium, chromium, or aluminum, or metal oxides, metal nitrides, metal carbides, carbon, graphite, conductive plastic (such as polythiophenes, polyanilines, or polypyrroles), metal impregnated polymers, or combinations thereof. In additional embodiments, the reference electrode comprises substrate and/or insulator substances such as glass, silicon, plastic, rubber, fabric, ceramics, printed circuit board, or combinations thereof.

In still other embodiments of the present invention, the apparatus further comprises a plurality of wells wherein each well encompasses a porous, polymeric pad, wherein a plurality of probe molecules is immobilized to linker moieties that are in contact with the porous, polymeric pad; an input electrode; and an output electrode. The term "wells" is used herein in its conventional sense, to describe a portion of the supporting substrate in which the porous, polymeric pad, input electrode, and output electrode are contained in a defined volume; said wells can protrude from the surface of the supporting substrate, or be embedded therein. Preferably, the probe molecules in any particular well are identical to each other, while each well comprises probe molecules unique to that well.

Electrochemical contact between the porous polymeric pads, input electrodes, output electrodes, linker moieties, probe molecules, and reference electrode (when present) is advantageously provided using an electrolyte solution in contact with each of these components. Electrolyte solutions useful in the apparatus and methods of the invention include any electrolyte solution at physiologically-relevant ionic strength (equivalent to about 0.15 M NaCl) and neutral pH. Examples of electrolyte solutions useful with the apparatus and methods of the invention

include but are not limited to phosphate buffered saline, HEPES buffered solutions, and sodium bicarbonate buffered solutions.

In preferred embodiments of the present invention, molecular interactions between immobilized probe molecules and target molecules in a sample mixture are detected by detecting an electrical signal using AC impedance. In other embodiments, such molecular interactions are detected by detecting an electrical signal using an electrical or electrochemical detection method selected from the group consisting of impedance spectroscopy, cyclic voltammetry, AC voltammetry, pulse voltammetry, square wave voltammetry, AC voltammetry, hydrodynamic modulation voltammetry, conductance, potential step method, potentiometric measurements, amperometric measurements, current step method, other steady-state or transient measurement methods, and combinations thereof.

In one embodiment of the apparatus of the present invention, the means for producing electrical impedance at each test electrode is accomplished using a Model 1260 Impedance/Gain-Phase Analyzer with Model 1287 Electrochemical Interface (Solartron Inc., Houston, TX). Other electrical impedance measurement means include, but are not limited to, transient methods using AC signal perturbation superimposed upon a DC potential applied to an electrochemical cell such as AC bridge and AC voltammetry. The measurements can be conducted at any particular frequency that specifically produces electrical signal changes that are readily detected or otherwise determined to be advantageous. Such particular frequencies are advantageously determined by scanning frequencies to ascertain the frequency producing, for example, the largest difference in electrical signal. The means for detecting changes in impedance at each test site electrode as a result of molecular interactions between probe and target molecules can be accomplished by using any of the above-described instruments.

The present invention also provides methods that are useful for the electrochemical detection of molecular interactions between target molecules in a sample solution and probe molecules immobilized to (or attached thereto using) linker moieties bound to, in contact with, or covalently attached to the porous, polymeric pads.

The present invention provides methods employing the apparatus that are useful for electrical or electrochemical detection of molecular interactions between probe molecules immobilized to linker moieties in contact with porous, polymeric pads and target molecules in a sample solution. In one embodiment of the methods of the present invention, a first electrical

signal is applied at an input electrode in contact with a first set of porous, polymeric pads, wherein the first set of porous, polymeric pads comprises the porous, polymeric pad at the specific test site; and the first electrical signal is then detected at an output electrode in contact with a second set of porous, polymeric pads, wherein the second set of porous, polymeric pads comprises the porous, polymeric pad at the specific test site. Thereafter, the first and second sets of porous, polymeric pads are exposed to a sample mixture containing a particular target molecule; a second electrical signal is applied at an input electrode in contact with the first set of porous, polymeric pads; and the second electrical signal is detected at an output electrode in contact with the second set of porous, polymeric pads. The first and second electrical signals are compared, and molecular interactions between immobilized probe molecules and target molecules in the sample mixture are detected by determining that the first electrical signal is different from the second electrical signal.

In some embodiments of the methods of the present invention, detection of molecular interactions between probe and target molecules is accomplished or enhanced by the coupling of an electrochemically-active moiety (termed a “reporter group”) to the target molecule. Target molecules labeled with electrochemically-active reporters useful in the methods of the present invention are electrochemically-active, *i.e.*, they are capable of participating in oxidation/reduction (redox) reactions under an applied voltage potential that can be achieved under conditions that are compatible with probe molecules immobilized to linker moieties in contact with the porous, polymeric pads and target molecules in a sample solution. Target molecules labeled with an electrochemically-active moiety useful in the methods of the present invention may be prepared by labeling suitable target molecules with any reporter group having an electrochemically-distinctive property, most preferably a redox potential that can be distinguished from other components of the binding reaction, and that does not interfere with the molecular interaction to be detected. In preferred embodiments of the method of the present invention, target molecules are labeled with electrochemical reporter groups comprising a transition metal complex or an organic redox couple, most preferably containing a transition metal ion that is ruthenium, cobalt, iron, copper, zinc, nickel, magnesium, or osmium; or an organic compound including, but not limited to, methylene blue, viologen, ferrocenes, and quinones.

In other embodiments of the present invention, target molecules are labeled with the following non-limiting examples of electrochemically-active moieties: 1,4-benzoquinone, ferrocene, tetracyanoquinodimethane, N,N,N',N'-tetramethyl-p-phenylenediamine, tetrathiafulvalene, viologen(methyl, aminopropyl viologen), phenylene-diamine, 9-aminoacridine, acridine orange, aclarubicin, daunomycin, doxorubicin, pirarubicin, ethidium bromide, ethidium monoazide, chlortetracycline, tetracycline, minocycline, Hoechst 33258, Hoechst 33342, 7-aminoactinomycin D, Chromomycin A₃, mithramycin A, Vinblastine, Rifampicin, Os(bipyridine)₂(dipyridophenazine)₂⁺, Co(bipyridine)₃³⁺, or Fe-bleomycin.

The electrochemically-active moiety comprising the electrochemically-active reporter-labeled target molecule used in certain embodiments of the methods of the present invention is optionally linked to the target molecule through a linker, preferably having a length of from about 10 to about 20 Angstroms. The linker can be an organic moiety such as a hydrocarbon chain (CH₂)_n (where n is an integer from 1 to about 20), or can comprise an ether, ester, carboxamide, or thioether moiety, or a combination thereof. The linker can also be an inorganic moiety such as siloxane (O-Si-O). The length of the linker is selected so that the electrochemically-active moiety does not interfere with the molecular interaction to be detected.

It should be understood that the foregoing disclosure emphasizes certain specific embodiments of the invention and that all modifications or alternatives equivalent thereto are within the spirit and scope of the invention as set forth in the appended claims.

WHAT WE CLAIM IS:

1. An apparatus for electrical detection of molecular interactions between immobilized probe molecules and target molecules in a sample solution, comprising:

- (a) a supporting substrate comprising an array of test sites,
- (b) a plurality of porous, polymeric pads in contact with the supporting substrate at the test sites,
- (c) a set of input electrodes in contact with the plurality of porous, polymeric pads at the test sites, wherein each input electrode is arranged to address a subset of the test sites,
- (d) a set of output electrodes in contact with the plurality of porous, polymeric pads at the test sites, wherein each output electrode is arranged to address a subset of the test sites, and wherein each output electrode is in electrochemical contact with an input electrode,
- (e) a plurality of linker moieties in contact with the porous, polymeric pads at the test sites,
- (f) a plurality of probe molecules immobilized to the linker moieties, wherein said probe molecules specifically bind to or interact with target molecules,
- (g) a means for producing an electrical signal at each input electrode,
- (h) a means for detecting changes in the electrical signal at each output electrode, and
- (i) an electrolyte solution in contact with the porous polymeric pads, input electrodes, output electrodes, linker moieties, and probe molecules,

wherein molecular interactions between the immobilized probe molecules and target molecules are detected as a difference in the electrical signal detected at each output electrode in the presence and absence of target molecules.

2. An apparatus for electrical or electrochemical detection of molecular interactions between immobilized probe molecules and target molecules in a sample solution, comprising:

- (a) a supporting substrate comprising an array of test sites,
- (b) a plurality of porous, polymeric pads in contact with the supporting substrate at the test sites,
- (c) a set of input electrodes in contact with the plurality of porous, polymeric pads at the test sites, wherein each input electrode is arranged to address a subset of the test sites,

(d) a set of output electrodes in contact with the plurality of porous, polymeric pads at the test sites, wherein each output electrode is arranged to address a subset of the test sites, and wherein each output electrode is in electrochemical contact with an input electrode,

(e) a plurality of linker moieties in contact with the porous, polymeric pads at the test sites,

(f) a plurality of probe molecules immobilized to the linker moieties, wherein said probe molecules specifically bind to or interact with target molecules,

(g) at least one reference electrode in electrochemical contact with the input and output electrodes,

(h) a means for producing an electrical signal at each input electrode,

(i) a means for detecting changes in the electrical signal at each output electrode, and

(j) an electrolyte solution in contact with the porous polymeric pads, input electrodes, output electrodes, linker moieties, reference electrode, and probe molecules,

wherein molecular interactions between the immobilized probe molecules and target molecules are detected as a difference in the electrical signal detected at each output electrode in the presence and absence of target molecules.

3. An apparatus for electrical detection of molecular interactions between immobilized probe molecules and target molecules in a sample solution, comprising:

(a) a supporting substrate comprising an array of test sites,

(b) a set of input electrodes in contact with the supporting substrate, wherein each input electrode is arranged to address a subset of the test sites,

(c) a set of output electrodes in contact with the supporting substrate at the test sites, wherein each output electrode is arranged to address a subset of the test sites, each output electrode is in electrochemical contact with an input electrode, and the output electrodes and input electrodes are interdigitated at the test site,

(d) a plurality of linker moieties in contact with either the input electrodes, the output electrodes, or both the input electrodes and output electrodes at the test sites,

(e) a plurality of probe molecules immobilized to the linker moieties, wherein said probe molecules specifically bind to or interact with target molecules,

(f) a means for producing an electrical signal at each input electrode,

(h) a means for detecting changes in the electrical signal at each output electrode, and
(i) an electrolyte solution in contact with the input electrodes, output electrodes, linker moieties, and probe molecules,

wherein molecular interactions between the immobilized probe molecules and target molecules are detected as a difference in the electrical signal detected at each output electrode in the presence and absence of target molecules.

4. An apparatus for electrical or electrochemical detection of molecular interactions between immobilized probe molecules and target molecules in a sample solution, comprising:

(a) a supporting substrate comprising an array of test sites,
(b) a set of input electrodes in contact with the supporting substrate, wherein each input electrode is arranged to address a subset of the test sites,

(c) a set of output electrodes in contact with the supporting substrate at the test sites, wherein each output electrode is arranged to address a subset of the test sites, each output electrode is in electrochemical contact with an input electrode, and the output electrodes and input electrodes are interdigitated at the test site,

(d) a plurality of linker moieties in contact with either the input electrodes, the output electrodes, or both the input electrodes and output electrodes at the test sites,

(e) a plurality of probe molecules immobilized to the linker moieties, wherein said probe molecules specifically bind to or interact with target molecules,

(f) at least one reference electrode in electrochemical contact with the input and output electrodes,

(g) a means for producing an electrical signal at each input electrode,

(h) a means for detecting changes in the electrical signal at each output electrode, and

(i) an electrolyte solution in contact with the input electrodes, output electrodes, linker moieties, reference electrode, and probe molecules,

wherein molecular interactions between the immobilized probe molecules and target molecules are detected as a difference in the electrical signal detected at each output electrode in the presence and absence of target molecules.

5. The apparatus of any of Claims 1, 2, 3, or 4, wherein the supporting substrate comprises ceramic, glass, silicon, silicon nitride, fabric, rubber, plastic, printed circuit board, compound semiconductors, or combination thereof.

6. The apparatus of either Claims 1 or 2, wherein the porous, polymeric pads comprise polyacrylamide gel, agarose gel, polyethylene glycol, cellulose gel, sol gel, polypyrrole, carbon, carbides, oxides, nitrides, or combination thereof.

7. The apparatus of Claim 6, wherein the porous, polymeric pads comprise polyacrylamide gel.

8. The apparatus of any of Claims 1, 2, 3, or 4, wherein the input electrodes comprise solid or porous gold, silver, platinum, copper, titanium, chromium, or aluminum, or metal oxide, metal nitride, metal carbide, carbon, graphite, conductive plastic, metal impregnated polymers, or combinations thereof.

9. The apparatus of Claim 8, wherein the input electrodes comprise platinum.

10. The apparatus of Claim 8, wherein the input electrodes comprise gold.

11. The apparatus of any of Claims 1, 2, 3, or 4, wherein the input electrodes comprise a conductive material and an insulating material.

12. The apparatus of Claim 11, wherein the conductive material is solid or porous gold, silver, platinum, copper, titanium, chromium, or aluminum, or metal oxide, metal nitride, metal carbide, carbon, graphite, conductive plastic, metal impregnated polymers, or combinations thereof.

13. The apparatus of Claim 12, wherein the conductive material is platinum.

14. The apparatus of Claim 12, wherein the conductive material is gold.

15. The apparatus of Claim 11, wherein the insulating material is glass, silicon, plastic, rubber, fabric, ceramic, printed circuit board, or combinations thereof.

16. The apparatus of Claim 15, wherein the insulating material is silicon.

17. The apparatus of Claim 15, wherein the insulating material is glass.

18. The apparatus of Claim 11, wherein the conductive material is embedded in the supporting substrate and the supporting substrate comprises the insulating material.

19. The apparatus of either Claims 1 or 2, wherein a portion of each input electrode is embedded in the porous, polymeric pads at the test sites addressed by said input electrode.

20. The apparatus of any of Claims 1, 2, 3, or 4, wherein the output electrodes comprises solid or porous gold, silver, platinum, copper, titanium, chromium, or aluminum, or metal oxide, metal nitride, metal carbide, carbon, graphite, conductive plastic, metal impregnated polymers, or combinations thereof.

21. The apparatus of Claim 20, wherein the output electrode comprises platinum.

22. The apparatus of Claim 20, wherein the output electrode comprises gold.

23. The apparatus of any of Claims 1, 2, 3, or 4, wherein the output electrode comprises a conductive material and an insulating material.

24. The apparatus of Claim 23, wherein the conductive material is solid or porous gold, silver, platinum, copper, titanium, chromium, or aluminum, or metal oxide, metal nitride, metal carbide, carbon, graphite, conductive plastic, metal impregnated polymers, or combinations thereof.

25. The apparatus of Claim 24, wherein the conductive material is platinum.

26. The apparatus of Claim 24, wherein the conductive material is gold.

5 27. The apparatus of Claim 23, wherein the insulating material is glass, silicon, plastic, rubber, fabric, ceramic, printed circuit board, or combinations thereof.

28. The apparatus of Claim 27, wherein the insulating material is silicon.

10 29. The apparatus of Claim 27, wherein the insulating material is glass.

30. The apparatus of Claim 23, wherein the conductive material is embedded in the supporting substrate and the supporting substrate comprises the insulating material.

15 31. The apparatus of either Claims 1 or 2, wherein a portion of each output electrode is embedded in the porous, polymeric pads at the test sites addressed by said output electrode.

32. The apparatus of Claim 31, wherein the output electrodes and input electrodes are interdigitated at the test site.

20 33. The apparatus of any of Claims 1, 2, 3, or 4, wherein the linker moieties comprise a conjugated polymer or copolymer film.

25 34. The apparatus of Claim 33, wherein the conjugated polymer or copolymer film is polypyrrole, polythiophene, polyaniline, polyfuran, polypyridine, polycarbazole, polyphenylene, poly(phenylenvinylene), polyfluorene, or polyindole, or their derivatives, copolymers, or combinations thereof.

30 35. The apparatus of any of Claims 1, 2, 3, or 4, wherein the linker moieties comprise a neutral pyrrole matrix.

36. The apparatus of any of Claims 1, 2, 3, or 4, wherein the linker moieties comprise thiol linkers.

37. The apparatus of any of Claims 1, 2, 3, or 4, wherein the probe molecules are oligonucleotides or nucleic acids.

38. The apparatus of Claim 37, wherein the probe molecules are aptamers.

39. The apparatus of any of Claims 1, 2, 3, or 4, wherein the probe molecules are proteins or peptides.

40. The apparatus of Claim 39, wherein the peptides are antibodies.

41. The apparatus of Claim 40, wherein the antibodies are a polyclonal antisera, polyclonal antibodies, or F(ab), F(ab)', F(ab)₂, or F_v fragments thereof.

42. The apparatus of Claim 40, wherein the antibodies are monoclonal antibodies, or F(ab), F(ab)', F(ab)₂, or F_v fragments thereof.

43. The apparatus of Claim 40, wherein the antibodies are F(ab) fragments or single-chain F_v fragments produced by *in vitro* libraries.

44. The apparatus of any of Claims 1, 2, 3, or 4, wherein the probe molecules comprise a natural products library, a phage display library, or a combinatorial library.

45. The apparatus of any of Claims 1, 2, 3, or 4, wherein the linker moieties comprise streptavidin and the probe molecules are biotinylated.

46. The apparatus of either Claims 1 or 2, wherein the probe molecules are first covalently linked to the linker moieties and then the linker moieties are placed in contact with the porous, polymeric pads.

47. The apparatus of either Claims 3 or 4, wherein the probe molecules are first covalently linked to the linker moieties and then the linker moieties are placed in contact with either the input electrodes, the output electrodes, or both the input electrodes and output electrodes.

48. The apparatus of either Claims 1 or 2, wherein the probe molecules are first covalently linked to the linker moieties, the linker moieties are mixed with porous, polymeric pad constituents, and then the porous, polymeric pads are polymerized.

49. The apparatus of either Claims 2 or 4, wherein the reference electrode comprises solid or porous gold, silver, platinum, copper, titanium, chromium, or aluminum, or metal oxide, metal nitride, metal carbide, carbon, graphite, conductive plastic, metal impregnated polymers, or combinations thereof.

50. The apparatus of Claim 49, wherein the reference electrode comprises platinum.

51. The apparatus of Claim 49, wherein the reference electrode comprises gold.

52. The apparatus of either Claims 2 or 4, wherein the conductive material is silver/silver chloride.

53. The apparatus of either Claims 2 or 4, wherein the reference electrode comprises a conductive material and an insulating material.

54. The apparatus of Claim 53, wherein the conductive material is solid or porous gold, silver, platinum, copper, titanium, chromium, or aluminum, or metal oxide, metal nitride, metal carbide, carbon, graphite, conductive plastic, metal impregnated polymers, or combinations thereof.

55. The apparatus of Claim 54, wherein the conductive material is platinum.

56. The apparatus of Claim 54, wherein the conductive material is gold.

57. The apparatus of Claim 53, wherein the insulating material is glass, silicon,
5 plastic, rubber, fabric, ceramic, printed circuit board, or combinations thereof.

58. The apparatus of Claim 57, wherein the insulating material is silicon.

59. The apparatus of Claim 57, wherein the insulating material is glass.

10 60. The apparatus of Claim 53, wherein the conductive material is embedded in the supporting substrate and the supporting substrate comprises the insulating material.

15 61. The apparatus of any of Claims 1, 2, 3, or 4, wherein the supporting substrate further comprises a plurality of wells wherein each well encompasses a porous, polymeric pad, wherein a plurality of probe molecules is immobilized to linker moieties that are in contact with the porous, polymeric pad; an input electrode; and an output electrode.

20 62. The apparatus of any of Claims 1, 2, 3, or 4, wherein the means for producing an electrical signal at each input electrode comprises a multiplexer.

63. The apparatus of any of Claims 1, 2, 3, or 4, wherein the means for detecting changes in the electrical signal at each output electrode comprises a demultiplexer.

25 64. A method for the electrical detection of molecular interactions between a probe molecule immobilized at a specific test site in the apparatus of any of Claims 1, 2, 3, or 4 and a target molecule in a sample solution, comprising:

30 (a) applying a first electrical signal at an input electrode in contact with a first set of porous, polymeric pads, wherein the first set of porous, polymeric pads comprises the porous, polymeric pad at the specific test site,

(b) detecting the first electrical signal at an output electrode in contact with a second set of porous, polymeric pads, wherein the second set of porous, polymeric pads comprises the porous, polymeric pad at the specific test site,

(c) exposing the first and second sets of porous, polymeric pads to a sample mixture containing the target molecule,

(d) applying a second electrical signal at an input electrode in contact with the first set of porous, polymeric pads,

(e) detecting the second electrical signal at an output electrode in contact with the second set of porous, polymeric pads,

(f) comparing the first electrical signal detected in step (b) with the second electrical signal detected in step (e), and

(g) determining whether the first electrical signal is different from the second electrical signal.

65. The method of Claim 64, wherein molecular interactions between probe molecules and target molecules are detected by using an electrical or electrochemical detection method selected from the group consisting of impedance spectroscopy, cyclic voltammetry, AC voltammetry, pulse voltammetry, square wave voltammetry, AC voltammetry, hydrodynamic modulation voltammetry, conductance, potential step method, potentiometric measurements, amperometric measurements, current step method, other steady-state or transient measurement methods, and combinations thereof.

66. The method of Claim 64, wherein molecular interactions between probe molecules and target molecules are detected by using an electrical or electrochemical detection method that is AC impedance and the AC impedance is measured over a range of frequencies.

67. The method of Claim 64, wherein molecular interactions between probe molecules and target molecules are detected by using an electrical or electrochemical detection method that is AC impedance and the AC impedance is measured by transient methods with AC signal perturbation superimposed upon a DC potential applied to an electrochemical cell.

68. The method of Claim 64, wherein molecular interactions between probe molecules and target molecules are detected by using an electrical or electrochemical detection method that is AC impedance and the AC impedance is measured by impedance analyzer, lock-in amplifier, AC bridge, AC voltammetry, or combinations thereof.

69. The method of Claim 64, wherein the target molecules are labeled with an electrochemically-active reporter molecule prior to exposing the first and second sets of porous, polymeric pads to a sample mixture containing the target molecule.

70. The method of Claim 69, wherein the electrochemically-active reporter-molecule comprises a transition metal complex.

71. The method of Claim 70, wherein the transition metal complex further comprises a transition metal ion that is ruthenium, cobalt, iron, zinc, nickel, magnesium, or osmium.

72. The method of Claim 70, wherein the electrochemically-active reporter-labeled target molecules are labeled with electrochemical reporter groups selected from the group consisting of 1,4-benzoquinone, ferrocene, tetracyanoquinodimethane, N,N,N',N'-tetramethyl-p-phenylenediamine, and tetrathiafulvalene.

73. The method of Claim 70, wherein the electrochemically-active reporter-labeled target molecules are labeled with electrochemical reporter groups selected from the group consisting of 9-aminoacridine, acridine orange, aclarubicin, daunomycin, doxorubicin, pirarubicin, ethidium bromide, ethidium monoazide, chlortetracycline, tetracycline, minocycline, Hoechst 33258, Hoechst 33342, 7-aminoactinomycin D, Chromomycin A₃, mithramycin A, Vinblastine, Rifampicin, Os(bipyridine)₂(dipyridophenazine)₂⁺, Co(bipyridine)₃³⁺, and Fe-bleomycin.

74. The method of Claim 64, wherein the first and second electrical signals are applied using a multiplexer.

75. The apparatus of Claim 64, wherein the first and second electrical signals are detected using a demultiplexer.

11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218
2219
2220
2221
2222
2223
2224
2225
2226
2227
2228
2229
2230
2231
2232
2233
2234
2235
2236
2237
2238
2239
2240

ABSTRACT OF THE DISCLOSURE

The present invention provides an apparatus and methods for the electrical or electrochemical detection of molecular interactions between biological molecules. Specifically, the invention provides an apparatus for the electrical or electrochemical detection of molecular interactions between biological molecules that comprises a column-and-row addressable biochip array.

Figure 1




Figure 3




Figure 4A





Figure 4B



DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

Addressable Array for High Density Electrical and Electrochemical Detection of Biomolecules

the specification of which is attached hereto unless the following space is checked:

☐ was filed on June 9, 2000 as United States Application Serial Number .

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR § 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. § 119(a)-(d) or § 365(b) of any foreign application(s) for patent or inventor's certificate, or § 365(a) of any PCT international application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application(s):

	<u>Number</u>	<u>Country</u>	<u>Day/Month/Year Filed</u>
1.			
2.			

I hereby claim the benefit under 35 U.S.C. § 119(e) of any United States provisional application(s) listed below:

	<u>Application Number</u>	<u>Filing Date</u>
1.		

I hereby claim the benefit under 35 U.S.C. § 120 of any United States application(s), or § 365(c) of any PCT international application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT international application in the manner provided by the first paragraph of 35 U.S.C. § 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 C.F.R. § 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

	<u>Application Number</u>	<u>Filing Date</u>	<u>Status: patented, pending, abandoned</u>
1.			
2.			

I hereby appoint the following attorneys and agent(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:


Denis A. Berntsen	Reg. No. 26707	James M McCarthy	Reg. No. 39296
John J. McDonnell	Reg. No. 26949	Monica Grewal	Reg. No. 40056
Daniel A. Boehnen	Reg. No. 28399	Jeremy Noe	Reg. No. 40104
Bradley J. Hulbert	Reg. No. 30130	Sean M. Sullivan	Reg. No. 40191
Paul H. Berghoff	Reg. No. 30243	Timothy R. Baumann	Reg. No. 40502
Grantland G. Drutchas	Reg. No. 32565	Amir N. Penn	Reg. No. 40767
Steven J. Sarussi	Reg. No. 32784	Patrick J. Halloran	Reg. No. 41053
David M. Frischkorn	Reg. No. 32833	Joshua R. Rich	Reg. No. 41269
James C. Gumina	Reg. No. 32898	Thomas E. Wettermann	Reg. No. 41523
A. Blair Hughes	Reg. No. 32901	Vernon W. Francissen	Reg. No. 41762
Thomas A. Fairhall	Reg. No. 34591	Richard A. Machonkin	Reg. No. 41962
Emily Miao	Reg. No. 35285	David S. Harper	Reg. No. 42636
Kevin E. Noonan	Reg. No. 35303	Lisa M.W. Hillman	Reg. No. 43637
Leif R. Sigmond, Jr.	Reg. No. 35680	Stephen Lesavich	Reg. No. 43749
Lawrence H. Aaronson	Reg. No. 35818	Enrique Perez	Reg. No. 43853
Matthew J. Sampson	Reg. No. 35999	Marcus J. Thymian	Reg. No. 43954
Curt J. Whitenack	Reg. No. 36054	S. Richard Carden	Reg. No. 44588
Christopher M. Cavan	Reg. No. 36475	Mark L. Chael (agent)	Reg. No. 44601
Michael S. Greenfield	Reg. No. 37142	Stephen H. Docter	Reg. No. 44659
Roger P. Zimmerman	Reg. No. 38670	Anita J. Terpstra	Reg. No. P47132
Anthoula Pomrening	Reg. No. 38805	Galina M. Yakovleva	Reg. No. P47192
George I. Lee	Reg. No. 39269		

Address all telephone calls to Kevin E. Noonan at (312) 913-0001.

Address all correspondence to MCDONNELL BOEHNEN HULBERT & BERGHOFF, 300 South Wacker Drive, Chicago, Illinois 60606 USA.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of first inventor: Vi-En Choong

Inventor's signature: 
Residence: Chandler, Arizona
Citizenship: Malaysia
Post Office Address: 3380 W. Genoa Way, Chandler, Arizona 85226

Date: 8/28/00

Full name of second joint inventor: George Maracas

Inventor's signature: _____

Residence: Phoenix, Arizona

Citizenship: United States

Post Office Address: 2613 East Bighorn Avenue, Phoenix, Arizona 85048

Date: _____

8/30/00

Full name of third inventor: Larry Akio Nagahara

Inventor's signature: _____

Residence: Phoenix, Arizona

Citizenship: United States

Post Office Address: 1350 West Deer Creek Road, Phoenix, Arizona, 85045

Date: _____

8/28/00

Full name of fourth joint inventor: Song Shi

Inventor's signature: _____

Residence: Phoenix, Arizona

Citizenship: People's Republic of China

Post Office Address: 4521 East Gold Poppy Way, Phoenix, Arizona, 85044

Date: _____

8/28/00